



SUMMARY MONITORING REPORT

December 2024

DATE:	31 January 2025	CONFIDENTIALITY:	Restricted
SUBJECT:	Monthly Air Quality Monitoring Report – December 2024		
PROJECT:	NVCC	AUTHOR:	Sachin Kumar / Shruti Verma
CHECKED:	Caroline Odbert	APPROVED:	Caroline Odbert

INTRODUCTION

WSP has been commissioned by Sacyr UK Limited to continue the ambient air quality monitoring in the vicinity of the Approved Velindre Cancer Centre, Whitchurch Hospital, Park Road, Whitchurch, Cardiff, CF14 7XB. The ambient monitoring was originally set up on behalf of NHS Wales to meet Cardiff Councils (CC) Pre-commencement planning condition 11 in relation to the Temporary Construction Access Route (TCAR) for the Construction of the Approved Velindre Cancer Centre. The ambient monitoring is required to allow the continued use of the TCAR during the construction of the main cancer centre site which is being completed by Sacyr UK Limited.

For reference, Condition 11 (CC Reference: 20/01110/MJR) states that:

“Prior to commencement of the development hereby approved details of an air monitoring unit and its location shall be submitted to and approved in writing with the Local Planning Authority. The monitoring unit shall be implemented in accordance with the approved details and remain operational until cessation of the development. Data from the air monitoring unit shall be provided to the Local Planning Authority on request.

Reason: To monitor air quality in accordance with Policy EN13 of the adopted Cardiff Local Plan (2006-2026).’

During construction works there is the potential for air quality impacts from the generation of dust and particulate matter, which could lead to dust soiling and human health impacts at relevant sensitive receptors. There is also the potential for increases in pollutant emissions from construction vehicles using the local road network.

On behalf of Sacyr UK Limited, WSP is carrying out monitoring in the study area using Zephyr and DM11 Pro continuous monitors. The air quality monitoring within the study area is being undertaken to ensure that dust and vehicle exhaust emissions from construction traffic are monitored and effectively managed. This report provides a summary of the monitoring data for the month of December 2024.

Historically, concentrations of particulate matter (PM₁₀ and PM_{2.5}) and Nitrogen Dioxide (NO₂) have been continuously monitored at four locations within the study area (See Figure 1). Two monitors have been continuously sampling for NO₂, PM₁₀ and PM_{2.5} using Zephyr monitors located close to the Hollybush Estate site (1381) and close to the construction site entrance (942). There have also been dedicated PM₁₀ and PM_{2.5} monitors (DM11 Pro) located outside 19 Park Road (332) and at a location On-site (333), however, power to the On-Site monitor was removed in October 2023 and no suitable alternative location has yet been identified.

The Zephyrs and DM11 Pro monitors are able to detect localised pollution events and fluctuations in the concentrations and can send alerts to the project team when concentrations go above a certain threshold. The Zephyr continuous monitoring devices are supplied by Earthsense and the DM11 Pros by Air Quality Monitors, data from each of the monitors is uploaded onto a cloud system/website where it can be viewed and downloaded by specific individuals.




Figure 1 Air Quality Monitoring Locations, DM11 Pro 333 is not currently operational

AIR QUALITY OBJECTIVES AND STANDARDS

The Government's policy on air quality within the UK is set out in the Air Quality Strategy for England, Scotland, Wales and Northern Ireland (AQS)¹. The AQS provides a framework for reducing air pollution in the UK with the aim of meeting the requirements of European Union legislation². The Welsh Government reviewed the air quality strategy in 2023 and concluded that the strategy no longer met the ambitious to improve air quality across Wales, however, the air quality objectives within the strategy currently remain.

The air quality standards are levels recommended by the Expert Panel on Air Quality Standards (EPAQS) and the World Health Organisation (WHO) with regards to current scientific knowledge about the effects of each pollutant on health and the environment.

The air quality objectives are policy-based targets set by the Government, which take into account economic efficiency, practicability, technical feasibility and timescale. Some objectives are equal to the EPAQS recommended standards or WHO guideline limits, whereas others involve a margin of tolerance, i.e., a limited number of permitted exceedances of the standard over a given period.

The relevant standards and objectives for this monitoring programme are given in Table 1.

¹ Department for Environment, Food and Rural Affairs (Defra) and the Devolved Administrations (2007). The Air Quality Strategy for England, Scotland, Wales and Northern Ireland (Volumes 1 and 2)

² The UK formally left the EU on 31st January 2020 and new air quality legislation for the UK will be brought forward in due course. The Air Quality (Miscellaneous Amendment and Revocation of Retained Direct EU Legislation) (EU Exit) Regulations 2018 (SI 2018/1407) (see Regulation 5) makes changes to retained direct EU legislation relating to air quality, to ensure that it continues to operate effectively.

Table 1 – Relevant Air Quality Objectives and Standards

Pollutant	Concentration ($\mu\text{g}/\text{m}^3$)	Duration	Exceedances permitted per 12-month period
Nitrogen Dioxide	200	1-hour mean	18
	40	Annual mean	-
Particulate matter (PM_{10})	40	Annual mean	-
	50	24-hour mean	35
Particulate matter ($\text{PM}_{2.5}$) *	20	Annual mean	-

* Local Authorities are required to work towards reducing emissions/concentrations of particulate matter within their administrative area, however, there is no statutory objective given in the AQS for $\text{PM}_{2.5}$ at this time, only a framework.

The UK Government published its Environmental Targets (Fine Particulate Matter) (England) Regulations on 30th January 2023³. The regulations include a long-term target annual mean $\text{PM}_{2.5}$ concentration of $10\mu\text{g}/\text{m}^3$ and an exposure reduction target of 35% when compared to 2018 levels, both to be met by 2040. There is also an interim $\text{PM}_{2.5}$ target, which is to be met by the end of January 2028, of $12\mu\text{g}/\text{m}^3$ as an annual mean concentration and a 22% reduction in exposure when compared to 2018 levels. Within Wales, the Environment (Air Quality and Soundscapes) (Wales) Act 2024⁴ highlights that the Welsh Government ‘*may by regulations set long-term targets in respect of any matter relating to air quality in Wales*’ and ‘*must by regulations set at least one target (a “ $\text{PM}_{2.5}$ air quality target”)* in respect of the annual mean level of $\text{PM}_{2.5}$ in ambient air in Wales”.

DEFRA AIR QUALITY INDEX

Defra’s Air Quality Index⁵ provides a useful indication of the levels of air pollution. The index is divided into four bands (low, moderate, high, very high), and the index is numbered from 1 to 10 within these bands (Figure 2). The bandings are based on hourly/24-hour mean concentrations depending on the pollutant.

Nitrogen Dioxide Based on the hourly mean concentration.										
Index	1	2	3	4	5	6	7	8	9	10
Band	Low	Low	Low	Moderate	Moderate	Moderate	High	High	High	Very High
$\mu\text{g}/\text{m}^3$	0-67	68-134	135-200	201-267	268-334	335-400	401-467	468-534	535-600	601 or more

PM_{10} Particles Based on the daily mean concentration for historical data, latest 24 hour running mean for the current day.										
Index	1	2	3	4	5	6	7	8	9	10
Band	Low	Low	Low	Moderate	Moderate	Moderate	High	High	High	Very High
$\mu\text{g}/\text{m}^3$	0-16	17-33	34-50	51-58	59-66	67-75	76-83	84-91	92-100	101 or more

$\text{PM}_{2.5}$ Particles Based on the daily mean concentration for historical data, latest 24 hour running mean for the current day.										
Index	1	2	3	4	5	6	7	8	9	10
Band	Low	Low	Low	Moderate	Moderate	Moderate	High	High	High	Very High
$\mu\text{g}/\text{m}^3$	0-11	12-23	24-35	36-41	42-47	48-53	54-58	59-64	65-70	71 or more

Figure 2 – Defra Air Quality Index

³ Environmental Targets (Fine Particulate Matter) (England) Regulations 2023

⁴ Environment (Air Quality and Soundscapes) (Wales) Act 2024 available at <https://www.legislation.gov.uk/asc/2024/2>

⁵ <https://uk-air.defra.gov.uk/air-pollution/daq>

MONITORING RESULTS

Zephyr Continuous Monitors

Data Capture

During the month of December 2024, 73.8% data capture was recorded at the Park Road (Z942) Zephyr and no data was recorded at Hollybush Inn (Z1381) monitor. Both the monitors experienced power failures throughout the monitoring period. The Hollybush Inn site, in particular, faced frequent power outages, resulting in no data being captured and excluded from this report.

Due to the on-going issues with the power outages to the Hollybush Inn monitor (Z1381), a new location was identified for the Zephyr monitor on lamp post 5 on Pendwyallt Road, approximately 150m north of the Hollybush Pub. The Zephyr was successfully re-located on the 10th January and further details will be included in the January 2025 monthly monitoring summary.

Nitrogen Dioxide

Figure 3 shows the monitored hourly average concentrations for the period 1st to 31st December 2024 at the Park Road Zephyr and a summary of the monitored concentrations for this period are provided in Table 2.

Average hourly NO₂ concentrations across the monitoring period at Park Road site were well below the air quality objective of 40µg/m³. There were no exceedances of the one-hour mean objective (200µg/m³) at Park Road monitoring site.




Figure 3 – Monitored Zephyr NO₂ Hourly Concentrations (µg/m³)

Table 2 – NO₂ Concentrations, 1st to 31st December 2024

Monitor	Location	NO ₂ Concentration Summary (µg/m ³)	
		Average	Hourly Maximum
Z942	Lampost 15, Park Road	32.4	142.0

Particulate Matter (PM₁₀ and PM_{2.5})

Figure 4 and Figure 5 show the monitored concentrations from 1st to 31st December 2024 at the Park Road Zephyr and a summary of the monitored concentrations for this period are provided in Table 3.

Average hourly concentrations of PM₁₀ and PM_{2.5} at the Zephyr monitor (Z942) remained below the respective annual mean objectives of 40µg/m³ and 20µg/m³ during the monitoring period. In addition, there were no exceedances found for the 24-hour mean concentrations of 50µg/m³ at the monitoring location.

Overall, the PM₁₀ and PM_{2.5} concentrations were well below the respective objectives, there were several peaks in PM₁₀ and PM_{2.5} monitored at the sample location; however, these were over for a short period of time.




Figure 4 – Monitored Zephyr PM₁₀ Hourly Concentrations (µg/m³)




Figure 5 – Monitored Zephyr PM_{2.5} Hourly Concentrations (µg/m³)

Table 3 – PM₁₀ and PM_{2.5} Concentrations Recorded by Zephyr Monitors, 1st to 31st December 2024

Monitor	Location	PM ₁₀ Concentrations (µg/m ³)			PM _{2.5} Concentrations (µg/m ³)	
		Average	Maximum Hourly	Maximum 24-hour mean	Average	Maximum Hourly
Z942	Lamppost 15, Park Road	13.8	73.7	27.9	6.9	52.0

Note that background colour applied is based on bandings which are classed for a 24-hour running mean PM concentration not an hourly concentration presented.

DM11 Pro Continuous Monitors

Data Capture

During the period 1st to 31st December 2024, the Park Road DM11 Pro monitor recorded 100% data capture. .

Particulate Matter (PM₁₀ and PM_{2.5})

Figure 6 shows the hourly average PM₁₀ and PM_{2.5} concentrations monitored at the DM11 Pro continuous monitor located at Park Road. A summary of the monitored concentrations is provided in Table 4.

Average hourly concentrations of PM₁₀ and PM_{2.5} were below the respective annual mean objectives of 40µg/m³ and 20µg/m³ during the monitoring period. In addition, there were no 24-hour mean concentrations above 50µg/m³.

The monitoring device located at 19 Park Road is set slightly back from the roadside, it is more representative of exposure of residential receptors along Park Road, than the Zephyr monitoring location, which are mounted upon lampposts at the kerbside.




Figure 6 – Monitored DM11 PM₁₀ and PM_{2.5} Concentrations 19 Park Road (µg/m³)

Table 4 – PM₁₀ and PM_{2.5} Concentrations, 1st to 31st December 2024

Monitor	Location	PM ₁₀ Concentrations (µg/m ³)			PM _{2.5} Concentrations (µg/m ³)	
		Average	Maximum Hourly	Maximum 24-hour mean	Average	Maximum Hourly
332	19 Park Road	13.2	24.4	16.8	12.9	23.5

Note that background colour applied is based on bandings which are classed for a 24-hour running mean PM concentration not an hourly concentration presented.